Human CALR Knockdown Cell Line (WB-Validated)

Catalog #: C81146

Aliases

CALR; Calreticulin; Calregulin; CC1qR; SSA; CRT; RO; Sicca Syndrome Antigen A (Autoantigen Ro; Calreticulin); Endoplasmic Reticulum Resident Protein 60; FLJ26680; CALR1; CRP55; ERp60; HACBP; Grp60; Epididymis Secretory Sperm Binding Protein Li 99n; Autoantigen Ro; HEL-S-99n; CRTC

Background

Gene Name: CALR
NCBI Gene Entry: 811

Storage

Store at liquid nitrogen for 1 year.

Kit Components

1. Human CALR Knockdown Cell Line (Wb-Validated)
2. Wild-type cell line

Parental Cell Line

Human cell line supplied by the client

Validation Methods

RT-qPCR, Western blotting (WB)

Shipping

Shipped on Dry Ice.

Instructions For Use

This knockdown cell line should be paired with wild-type cell line for use.

Note: This product is for research use only.

Validation Data

Human CALR Knockdown Cell Line (WB-Validated)



Genotype	Ct Value
Wild-Type	20.31
Knock-Down	23.04
ΔCt (Ct_{KD}-Ct_{WT})	2.73
% mRNA Reduction	⬇ 85%

RT-qPCR analysis. HeLa cells were infected with CALR-specific shRNA lentiviral particles, total RNA was extracted from wild-type and knockdown cells, RT-qPCR was performed using gene-specific primers. ΔCt (CtKD-CtWT) was used to calculate mRNA reduction (%) between wild-type and knockdown cells using the following formula: (1-1/2ΔCt) x 100%.



Western blotting analysis. CALR protein expression in wild-type (WT) and shRNA knockdown (KD) HeLa cells was detected using Western blotting. β-Tubulin served as a loading control. The blots were incubated with primary antibodies (Cat#61146, 1:5,000) against CALR and β-Tubulin,

respectively, followed by incubating with HRP-conjugated goat anti-rabbit secondary antibody (Cat#201, 1:20,000). Images were developed using FeQ™ ECL Substrate Kit (Cat#226).